Supporting Screenshots: Initiating a *Progestogen only Pill*

NB1: Service Support lists helpful references, just a click away.

NB2: First the *Patient Name* needs to be identified & registered into system. Then come out of system and return, and the Patient Name will come up when you start typing.

Service delivery resources: Service Specification Combined Oral Contraception PGD Progestogen Only Pill PGD Progestogen Only Pill PGD Technical Toolkit EPS Prescription Tracker NICE Medicines practice guideline 'Patient Group Directions' Contraception consultation tools: Sexwise Brook Contraception Choices Patient age Enrolment Requirements The commissioner requires that the individual delivering this service meets certain criteria. Enter either your name or registration number in the box below and select from the list that appears. Practitioner Name Registration number: Enrolment requirements Practitioner Name Registration number: Consultation date O8-Dec-2023 Patient name If Patient name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Registration Sexwise Brook Contraception Choices Patient age Years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS	
meets certain criteria. Enter either your name or registration number in the box below and select from the list that appears. Progestogen Only Pill PGD Technical Toolkit EPS Prescription Tracker NICE Medicines practice guideline 'Patient Group Directions' Contraception consultation tools: Sexwise Brook Contraception Choices Patient age Patient age Patient age Years Method of entry to service Registration number in the box below and select from the list that appears. Practitioner Name Registration number in the box below and select from the list that appears. Practitioner Name Registration number in the box below and select from the list that appears. Practitioner Name Registration number in the box below and select from the list that appears. Practitioner Name Registration number in the box below and select from the list that appears. For in the box below and select from the list that appears. Practitioner Name Registration number in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that appears. For in the box below and select from the list that app	
the box below and select from the list that appears. Progestogen Only Pill PGD Technical Toolkit EPS Prescription Tracker NICE Medicines practice guideline 'Patient Group Directions' Contraception consultation tools: Sexwise Brook Contraception Choices Patient age Patient age Years Clinical resources: Electronic BNF Edit Details Practitioner Name Registration number: 2005019 Edit Details Practitioner Name Registration number: 2005019 Edit Details Practitioner Name Registration number: 2005019 Enrolment requirements met and service provision allowed Onsultation date O8-Dec-2023 Patient name If Patient name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Service entry Method of entry to service Recruited by Pharmacy Team	
Progestogen Only Pill PGD Technical Toolkit EPS Prescription Tracker NICE Medicines practice guideline 'Patient Group Directions' Contraception consultation tools: Sexwise Brook Contraception Choices Patient age Practitioner Name Registration number: 2006/07 Enrolment requirements met and service provision allowed Consultation date Registration number: 2006/07 Enrolment requirements met and service provision allowed Consultation date Registration If Patient name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Patient age Years Clinical resources: Electronic BNF Electronic BNF Electronic Medicines Compendium NICE CKS Method of entry to service Registration number: 2006/07 Consultation date Registration number: 2006/07 Entrolment requirements met and service provision allowed Service provision allowed Method of entry to service or the provision allowed Registration number: 2006/07 Entrolment requirements met and service provision allowed	
Technical Toolkit EPS Prescription Tracker NICE Medicines practice guideline 'Patient Group Directions' Contraception consultation tools: Sexwise Brook Contraception Choices Patient age Patient age Years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS Registration number: 2025019 Enrolment requirements met and service provision allowed NED Consultation date 08-Dec-2023 Patient name If Patient name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Service entry Method of entry to service Recruited by Pharmacy Team	
NICE Medicines practice guideline 'Patient Group Directions' Consultation date Patient name If Patient name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Patient name Frook Contraception Choices Patient age Patient age Years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS Method of entry to service Recruited by Pharmacy Team	
Consultation date Patient name If Patient name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Sexwise Brook Contraception Choices Patient age Years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS Consultation date Patient name If Patient name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Registration Method of entry to service Recruited by Pharmacy Team	
Contraception consultation If Pallent name is not registered, click here to enter Pharmacy Contraception Service - Referral and Registration Sexwise Brook Contraception Choices Patient age years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS If Pallent name is not registered, click here to enter Pharmacy Team in the part of the pharmacy Team Registration Medicines Method of entry to service Recruited by Pharmacy Team	
Pharmacy Contraception Service - Referral and Registration Sexwise Brook Contraception Choices Patient age years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS Method of entry to service Recruited by Pharmacy Team	
Sexwise Brook Contraception Choices Patient age years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS Registration Method of entry to service O Recruited by Pharmacy Team	
Brook Contraception Choices Patient age years Clinical resources: Electronic BNF Electronic Medicines Compendium NICE CKS Method of entry to service Recruited by Pharmacy Team	
Contraception Choices Patient age	
Patient age	
Electronic BNF Electronic Medicines Compendium NICE CKS Service entry Method of entry to service O Recruited by Pharmacy Team	
Electronic Medicines Compendium NICE CKS Method of entry to service Recruited by Pharmacy Team	
Compendium O Recruited by Pharmacy Team	
NICE CKS	
○ Self-referred	
FSRH resources: Subsequent visit after first repeat supply	
FSRH Clinical Guideline: Progestogen-only Pills Referred by other healthcare provider	
• FSRH CEU Guidance: Drug Service type	
Interactions with Hormonal Service type	
Contraception FSRH Clinical Guideline: Olinitiation	
• FSRH Clinical Guideline: ○ Initiation Combined Hormonal ○ Ongoing monitoring / supply	
Contraception FSRH UK Medical Eligibility Consent & GP Practice	
Oritoria for Contracontiva Usa	
FSRH Clinical Guideline: Quick The patient consents to the following:	
Starting Contraception • The pharmacist to provide them with a supply of oral contraception.	
The patient's information will be legally shared with: • NHS England as part of the service monitoring and evaluation; and • The NHSBSA and NHS England for the purpose of contract management and post-payment verification (PPV).	
SEASON SE	
Consent: O Yes Consent given	
○ No Consent not given	
Consent to share with GP If you give consent for data sharing, the information you provide will be passed to: your GP. To inform your GP of the supply of oral contraception via the NHS Community Pharmacy Oral Contraception Management Service.	
Consent to share with GP If you give consent for data sharing, the information you provide will be passed to: your GP. To inform your GP of the supply of oral contraception via the NHS Community Pharmacy Oral Contraception Management Service. If you don't give consent your GP will not be notified.	
Consent to share with GP If you give consent for data sharing, the information you provide will be passed to: your GP. To inform your GP of the supply of oral contraception via the NHS Community Pharmacy Oral Contraception Management Service.	

Fraser competency and safeguarding

Patient is under 16 years, an assessment based on Fraser guidelines
must be made and documented.

(Tick each box to indicate discussion)

Fraser Competency Status

Assessed patient understanding

Encouraged parental involvement

Assessed physical mental effects of withholding treatment

Acting in best interest of young person

Likely to continue with sexual activity

Patient competent Yes No

Patient is under 13 years of age record action taken below:

Record action taken

(Do not include patient identifiable information)

CSE Risk Evaluation -

For all young people under the age of 18 years a short evaluation of CSE risk should be completed.

Please ask the following 4 questions. If any apply the pharmacist should speak to the local safeguarding lead and follow the local safeguarding policy. Further advice can be found in the MHS Safeguarding.App.

 ☑ Have you ever stayed out overnight or longer ☑ How old is your boyfriend or person(s) you have sex will difference over 4 years tick (and record age) ☐ Does your boyfriend or person(s) you have sex with st 	ith
If difference over 4 years tick (and record age)	ith
Does your boyfriend or person(s) you have sex with st	
from doing things you want to do	op you
☐ Thinking about where you go to hang out, or to have s you feel unsafe there	ex. Do
☐ No concern of CSE	
Age of partner	
Patient Excluded You have selected one or more risk factors. Speak to y safeguarding lead and follow the local safeguarding A printable Safeguarding Referral Form will generate when record)	policy.

(Do not include patient identifiable information)

Current contraception —
Contraception method—
□ None
☐ Injectable Contraception
☐ Implant
☐ Intrauterine Device (IUD)
☐ Intrauterine System (IUS)
□ Vaginal Ring
☐ Contraception Patch
□ Combined Pill
□ Progestogen Only Pill
☐ Cap/Diaphragm
□ Spermicides
☐ Natural Family Planning
Condom (Male)
☐ Condom (Female)
☐ Emergency contraception
Other
If 'other' please state
Would the patient like the opportunity to discuss the administration of a LARC with a specialist e.g. GP / Sexual Health Clinic? O Yes O No
Medical history —
The patient's electronic health records can be accessed via the Summary Care Record link on the right-hand side of the page when your NHS Smartcard is connected.
Tick ALL that apply
☐ Patient has known allergies
☐ Patient is currently taking medication that could interact
Patient's health has changed since last supply (Includes changes to medical, surgical or mental health since last supply of oral contraception)
☐ Patient has a family history of medical conditions
☐ None of the above
Oral contraception supply —
Oral contraception to be supplied—
O Combined Pill
Progestogen Only Pill

When POP is selected the following Exclusions are helpfully prompted....

Oral contraception to be supplied -

	0.77)
SIC	ns
Exc	clusions - POP —
CO	Individuals under 16 years of age and assessed as not impetent using Fraser Guidelines.
	Individuals 16 years of age and over and assessed as lackin pacity to consent.
0	Established pregnancy. Note - risk of pregnancy with a negative pregnancy test is not an exclusion.
	Known hypersensitivity to the active ingredient or to any instituent of the product. Summary of Product Characteristics
0	Acute porphyria.
0	Individuals aged 55 years and over.
	Cardiovascular Disease
	Current or past history of ischaemic heart disease, vascular sease, stroke or transient ischaemic attack (first attack only). (if taking the method when the event occurred)
	Gastro-intestinal conditions
	Gastro-intestinal conditions Severe (decompensated) cirrhosis. Benign liver tumour. (hepatocellular adenoma)
C	Severe (decompensated) cirrhosis. Benign liver tumour.
С	Severe (decompensated) cirrhosis. Benign liver tumour. (hepatocellular adenoma)
C	Severe (decompensated) cirrhosis. Benign liver tumour. (hepatocellular adenoma) Any bariatric or other surgery resulting in malabsorption.
0	Severe (decompensated) cirrhosis. Benign liver tumour. (hepatocellular adenoma) Any bariatric or other surgery resulting in malabsorption. Medicines Individuals using enzyme-inducing drugs/herbal products. or within 4 weeks of stopping them Individuals taking any interacting medicines.
0	Severe (decompensated) cirrhosis. Benign liver tumour. (hepatocellular adenoma) Any bariatric or other surgery resulting in malabsorption. Medicines Individuals using enzyme-inducing drugs/herbal products. or within 4 weeks of stopping them Individuals taking any interacting medicines. (other than enzyme inducers) including any medicines or herbal products purchased - see links below: BNF individual product SPC
	Severe (decompensated) cirrhosis. Benign liver tumour. (hepatocellular adenoma) Any bariatric or other surgery resulting in malabsorption. Medicines Individuals using enzyme-inducing drugs/herbal products. or within 4 weeks of stopping them Individuals taking any interacting medicines. (other than enzyme inducers) including any medicines or herbal products purchased - see links below: BNE
	Severe (decompensated) cirrhosis. Benign liver tumour. (hepatocellular adenoma) Any bariatric or other surgery resulting in malabsorption. Medicines Individuals using enzyme-inducing drugs/herbal products. or within 4 weeks of stopping them Individuals taking any interacting medicines. (other than enzyme inducers) including any medicines or herbal products purchased - see links below: BNF individual product SPC No exclusions apply

Outcome Summary

sultation outcome ————————————————————————————————————	
Consultation outcome	
O Supply made	
O Supply made & referred/signposted	
O No supply - clinically inappropriate & referred/signposted	
O No supply - clinically appropriate & referred/signposted	
O No supply - declined by patient	
O No supply - other reason (please state)	
O No Supply - escalated	
ient safety incidents must be reported in line with the Clinical	
Incident to report O Yes O No	
essional role —	
Professional role —	
O Pharmacist	
O Independent Prescriber	
	Supply made Supply made & referred/signposted No supply - clinically inappropriate & referred/signposted No supply - clinically appropriate & referred/signposted No supply - declined by patient No supply - other reason (please state) No Supply - escalated Int safety incident ient safety incidents must be reported in line with the Clinical ance Approved Particulars for Pharmacies. Incident to report Yes No Professional role Professional role Professional role Pharmacist